



## LED Magnetic spotlight series



**LEDBOX<sup>®</sup>**  
nature power light




**LD1014150 white - LD1014151 black**



POWER	28W
INPUT VOLTAGE	DC24V
DIMMABLE	Y
COLOR TEMPERATURE	3000K / 4000K / 6000K
CRI	80/90
LUMINOUS FLUX	<b>1000lm</b>
ADJUSTABLE	90°
MATERIAL	Aluminum
SUFACE TREATMENT	White / Black
OPERATING TEMPERATURE RANGE	-20°C to +40°C
MAINTENANCE OF LUMEN -L70	40,000 hours at 25°C
WARRANTY	3 years

**INSTALLATION:** Pendent /Recessed/Ceiling Surface




**LD1014148 white - LD1014149 black**



POWER	14W
INPUT VOLTAGE	DC24V
DIMMABLE	Y
COLOR TEMPERATURE	3000K / 4000K / 6000K
CRI	80 / 90
LUMINOUS FLUX	<b>700lm</b>

MATERIAL	Aluminum
SURFACE TREATMENT	White / Black
OPERATING TEMPERATURE RANGE	-20°C to +40°C
MAINTENANCE OF LUMEN -L70	40,000 hours at 25°C
WARRANTY	3 years

**INSTALLATION:** Pendant /Recessed/Ceiling Surface




LD1014146 white - LD1014147 black



POWER	14W
INPUT VOLTAGE	DC24V
DIMMABLE	Y
COLOR TEMPERATURE	3000K / 4000K / 6000K
CRI	80/90
LUMINOUS FLUX	700lm


MATERIAL	Aluminum
SUFACE TREATMENT	White / Black
OPERATING TEMPERATURE RANGE	-20°C to +40°C
MAINTENANCE OF LUMEN -L70	40,000 hours at 25°C
WARRANTY	3 years

**INSTALLATION:** Pendant /Recessed/Ceiling Surface



## INSTALLATION

Recessed




Installation accessories




MODEL: AC01

Ceiling Surface



Pendent



## SIZE

2000 / 1000 / 300



LD1014152 1m white - LD1014153 1m black



I SHAPE CONNECTOR

Function: connect each two single track.

LD1014154 white - LD1014155 black

